



Defbi

Cazette

354

DELHI ADMINISTRATION

EXTRAORDINARY

PART IV

PUBLISHED BY AUTHORITY

No. 54] DELHI THURSDAY, OCTOBER 8, 1964/ASVINA 16, 1886

DELHI ADMINISTRATION: DELHI

NOTIFICATION

Delhi, the 8th October 1964

No. F.2(7)/64-F&CS.—Whereas in the opinion of the Administrator of the Union Territory of Delhi it is necessary and expedient so to do for maintenance of supplies and services essential to the life of the community:

Now therefore, in exercise of the powers conferred by rule 125 of the Defence of India Rules, 1962, the Chief Commissioner, Delhi hereby makes the following order, namely:—

1. **Short title, extent & commencement.**—(1) This order may be called the Delhi Cement Products (Movement Control) Order, 1964.

(2) It extends to the whole of the Union Territory of Delhi.

(3) It shall come into force at once.

2. **Definitions.**—In this Order, unless the context otherwise requires—

(a) "export" means to take or cause to be taken from any place within the Union Territory of Delhi to any place outside that Territory;

(b) "cement products" means cement tiles and includes any other article in the manufacture of which cement is used;

(c) "Director" means the Director of Food and Civil Supplies, Delhi.

3. **Restriction on the movement of cement products.**—No person shall export, or offer or accept for export, whether by road, rail or water, any cement product except under and in accordance with a permit issued in this behalf by the Director or any other officer authorised by him in this behalf. Provided that nothing contained herein shall apply to the export of any cement product—

(i) on Government account; or

(ii) under and in accordance with Military Credit Notes.

4. **Powers of entry, search, seizure etc.**—The Director or any officer authorized by him in writing in this behalf may with a view to securing

compliance with this Order, or to satisfy himself that this order has been complied with—

- (a) stop and search or authorise any person to stop and search any person, boat, motor, or any vehicle or receptacle used or capable of being used for the transport of any cement product;
- (b) enter and search or authorise any person to enter and search any place;
- (c) seize or authorise the seizure of any cement product in respect of which he suspects that any provision of this Order has been or is being, or is about to be contravened, along with the packages, coverings, or receptacles in which such cement product is found or the animals, vehicles, vessels, boats or other conveyances used in carrying such cement product and thereafter take or authorise the taking of all measures necessary for securing the production of the packages, coverings, receptacles, animals, vehicles, vessels, boats or other conveyances so used in a court and for their safe custody pending such production.

By Order,
M. W. K. YUSUFZAI,
Director of Civil Supplies,
Delhi Administration: Delhi.

ORDER

Delhi, the 8th October 1964

No. F. 6(6)/62-SCC-C.—Whereas the Administrator, Union Territory of Delhi, considers it expedient that special precautions should be taken to prevent the entry of unauthorised persons into the place specified in the Schedule below:—

Now, therefore, in exercise of the powers conferred by rule 7 of the Defence of India Rules, 1962, the Administrator hereby declares the place specified in column (I) of the Schedule below to be a protected place.

In exercise of the powers conferred by sub-section (2) of section 40 of the Defence of India Act, 1962 (51 of 1962), the Administrator hereby directs that the Defence of India Rules, 1962, shall in respect of the place specified in column (I) of the Schedule below, being protected place, be exercisable also by the officers mentioned in column (2) of the said Schedule.

SCHEDULE

Name and location of protected place	Designation of the officers empowered to exercise the powers under rule 6 in respect of the protected place
I	2
Dhansa Bund at Village Dhansa P. S. Najafgarh.	(i) Assistant Sub-Inspector of Police or higher police officer in rank stationed at Dhansa. (ii) Naib-Teshildar or higher revenue officer in rank at Dhansa.

Sd/- DHARMA VIRA,
Administrator.

NEW DELHI MUNICIPAL COMMITTEE

SCHEDULE VIII

(See bye-law 86)

Sanitation requirement for Hospitals

(Indoor Patient Ward)

For Males and Females

W.C.—A minimum of 2 (1 European Type and 1 Indian Type) and if the No. of beds exceeds 20, 1 for every additional 20 beds or part thereof.

Ablution taps.—1 in each W.C. plus one water tap with draining arrangements in the vicinity of W.Cs. and urinals for every 50 persons or part thereof.

Wash Basins.—2 upto 30 beds add 1 for every additional 30 beds or part thereof.

Bath.—1 bath with shower for each ward.

Bed pan Washing.—1 for each ward.

Cleaner's Sink.—1 for each ward.

(Outdoor Patient Ward)

	Males	Females
W.C.	1 for every 100 or part thereof	2 for every 100 or part thereof.
Ablution taps	1 in each W.C. In the vicinity of W.Cs. and urinals one water tap with draining arrangements shall be provided for every 50 persons or part thereof.	1 in each W.C.
Urinals	1 for every 50 or part thereof.	
Wash basins	1 for every 100 or part thereof	1 for every 100 or part thereof.

NEW DELHI MUNICIPAL COMMITTEE

SCHEDULE IX.

(See bye-law 87)

Sanitation Requirements for Cinemas Theatres and Public Assembly Halls

Fitments	For Male Public	For Female Public	For Male Staff	For Female Staff
Water-closets	1 per 100 persons upto 400 persons. For over 400 persons, add at the rate of 1 per 250 persons or part thereof.	2 per 100 persons upto 200 persons. For over 200 persons, add at the rate of 1 per 100 persons or part thereof.	1 for 1-15 persons. 2 for 16-35 persons.	1 for 1-12 persons. 2 for 13-25 persons.
Ablution taps	1 in each water-closet 1 water tap with draining arrangements shall be provided for every 50 persons or part thereof in the vicinity of water-closets and urinals.	1 in each water-closet	1 in each water-closet or part thereof	1 in each water-closet or part thereof
Urinals	1 for 50 persons or part thereof.	..	Nil upto 6 persons. 1 for 7-20 persons. 2 for 21-45 persons.	..
Wash Basins	1 for every 200 persons or part thereof.	1 for every 200 persons or part thereof.	1 for 1-15 persons. 2 for 16-35 persons.	1 for 1-12 persons. 2 for 13-25 persons.

NOTE.—It may be assumed that two-third of the number are males and one-third females.

G. D. BAHRI,

Officer on Special Duty (L.S.G.),

Delhi Administration, Delhi.